



SEEML Asbestos COC for NYELAP

102 Edinburgh Court, Greenville, SC 29607
 Ph: (864) 233-3770, Email: Asbestos@seeml.com

Client: .		Project Manager:		SEEML Ref#	Date Sampled	
Address:		Phone:		Project No:		
		Email		Project Name:		
				Project Location:		
PLM TAT:	<input type="checkbox"/> SAME DAY <input type="checkbox"/> NEXT DAY <input type="checkbox"/> 2 DAY <input type="checkbox"/> 3 DAY					
TEM TAT:	<input type="checkbox"/> SAME DAY - 8 HOURS <input type="checkbox"/> NEXT DAY <input type="checkbox"/> 2 DAY <input type="checkbox"/> 3 DAY <p style="text-align: center;">*NYELAP PLM & NYELAP TEM Analysis is subcontracted.</p> <p style="text-align: center;">PLM & TEM TAT time starts after samples have arrived at subcontracted lab. Which is typically 10:30am</p>					
PLM-Bulk: Positive Stop <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NYELAP PLM 198.1 (Friable) <input type="checkbox"/> NYELAP PLM Point Count & Gravimetric (NOB) 198.6 <input type="checkbox"/> TEM- NYELAP TEM-198.4		VERMICULITE			Note:	
		<input type="checkbox"/> NYELAP Vermiculite Chrysotile & Amphibole 198.8. <input type="checkbox"/> NYELAP Vermiculite Chrysotile Only 198.8.				
Client Sample#	TEM Y/N	Sample Description	Sample Location		Notes:	
Relinquished by:		Date-Time	Received by:		Date-Time	